





























































Beställning lista









| <u>UNGTRÄD / PRYDNADSTRÄD</u> | | Storlek | Pris st |
|--|---|----------------|---------|
| Acer campestre 'Nanum' | | Sh 100-120 Co | 2500 |
| Acer campestre 'Nanum' | | Sh 140-160 Co | 3200 |
| Acer platanoides 'Crimson Sentry' | | Sh 100-120 Co | 2300 |
| Acer platanoides 'Crimson Sentry' | | Sh 140-160 Co | 2950 |
| Acer platanoides 'Drummondii' | | Utr 150-200 Co | 1750 |
| Acer platanoides 'Drummondii' | | Utr 200-250 Co | 2250 |
| Acer platanoides Fk Pernilla E |  | Utr 150-200 Co | 1400 |
| Acer platanoides Fk Pernilla E |  | Utr 200-250 Co | 1950 |
| Acer platanoides 'Globosum' | | Sh 100-120 Co | 2300 |
| Acer platanoides 'Globosum' | | Sh 140-160 Co | 2950 |
| Acer platanoides 'Royal Red' | | Utr 150-200 Co | 1750 |
| Acer platanoides 'Royal Red' | | Utr 200-250 Co | 2250 |
| Acer platanoides 'Royal Red' | | Sh 100-120 Co | 2150 |
| Acer platanoides Fk Ultuna E |  | Utr 150-200 Co | 1400 |
| Acer platanoides Fk Ultuna E |  | Utr 200-250 Co | 1950 |
| Acer tataricum Fk Falun E |  | Utr 150-200 Co | 2200 |
| Acer tataricum ssp. ginnala Fk Uppsala E |  | Utr 150-200 Co | 2000 |
| Acer tataricum ssp. ginnala Fk Uppsala E |  | Utr 200-250 Co | 2600 |
| Aesculus hippocastanum | | Utr 150-200 Co | 1800 |
| Aesculus hippocastanum | | Utr 200-250 Co | 2450 |
| Alnus glutinosa Fk Fyris E |  | Utr 150-200 Co | 1250 |
| Alnus glutinosa Fk Fyris E |  | Utr 200-250 Co | 1750 |
| Alnus incana Fk Deje E |  | Utr 150-200 Co | 1250 |
| Alnus incana Fk Deje E |  | Utr 200-250 Co | 1750 |
| Aronia × prunifolia 'Aron' | | Sh 100-120 Co | 2150 |
| Betula ermanii KLENOD®E ('Ep Betkl') |  | Utr 150-200 Co | 1850 |
| Betula ermanii KLENOD®E ('Ep Betkl') |  | Utr 200-250 Co | 2250 |
| Betula pendula 'Dalecarlica' E |   | Utr 150-200 Co | 1750 |
| Betula pendula 'Dalecarlica' E |   | Utr 200-250 Co | 2150 |
| Betula pendula Fk Julita E |  | Utr 150-200 Co | 1200 |
| Betula pendula Fk Julita E |  | Utr 200-250 Co | 1550 |
| Betula pendula Fk Savolaksie | | Utr 150-200 Co | 1200 |
| Betula pendula Fk Savolaksie | | Utr 200-250 Co | 1550 |
| Betula pendula 'Purpurea' | | Utr 150-200 Co | 1800 |
| Betula pendula 'Tristis' | | Utr 150-200 Co | 1500 |
| Betula pendula 'Tristis' | | Utr 200-250 Co | 2050 |
| Betula pendula 'Youngii' | | Utr 150-200 Co | 1500 |
| Betula pendula 'Youngii' | | Utr 200-250 Co | 2050 |
| Betula utilis ssp. albosinensis | | Utr 150-200 Co | 1950 |
| Betula utilis ssp. jacquemontii | | Utr 150-200 Co | 1500 |
| Betula utilis ssp. jacquemontii | | Utr 200-250 Co | 2050 |
















| | | | |
|--|---|--------------------|------|
| Caragana arborescens 'Lorbergii' | | Sh 100-120 Co | 1750 |
| Caragana arborescens 'Pendula' | | Sh 100-120 Co | 1550 |
| Caragana arborescens 'Walker' | | Sh 100-120 Co | 1550 |
| Carpinus betulus | | Utr 80-100 Co | 550 |
| Carpinus betulus | | Utr 100-125 Co | 650 |
| Carpinus betulus | | Utr 125-150 Co | 850 |
| Carpinus betulus | | Utr 150-175 Co | 1350 |
| Carpinus betulus | | Utr 175-200 Co | 1500 |
| Carpinus betulus 'Fastigiata' | | Utr 150-175 Co | 1900 |
| Carpinus betulus 'Fastigiata' | | Utr 175-200 Co | 2450 |
| Carpinus betulus Fk Carin E |  | Utr 80-100 Co | 650 |
| Carpinus betulus Fk Carin E |  | Utr 100-125 Co | 850 |
| Carpinus betulus Fk Stenshuvud E |  | Utr 80-100 Co | 650 |
| Carpinus betulus Fk Stenshuvud E |  | Utr 100-125 Co | 850 |
| Carpinus betulus Fk Stenshuvud E |  | Utr 125-150 Co | 1400 |
| Cercidiphyllum japonicum Fk Göteborg E |  | Utr 150-200 Co | 2000 |
| Corylus avellana 'Contorta' | | Sh 80 Co | 1800 |
| Corylus avellana 'Contorta' | | Sh 100-120 Co | 2000 |
| Corylus avellana 'Red Majestic'* | | Sh 80 Co | 1800 |
| Corylus avellana 'Red Majestic'* | | Sh 100-120 Co | 2000 |
| Cotoneaster x suecicus 'Coral Beauty' | | Sh 80-100 Co | 850 |
| Crataegus laevigata Lettland | | Sh 90-110 Co | 1600 |
| Crataegus x media 'Paul's Scarlet' | | Sh 90-110 Co | 1600 |
| Crataegus x mordenensis 'Toba' | | Sh 90-110 Co | 1600 |
| Crataegus ori. Strapats® E ('Ep Crast') |  | Sh 90-110 Co | 1950 |
| Euonymus alatus 'Compactus' | | Sh 100-120 Co | 2550 |
| Euonymus for. var. rad. 'Emerald'n Gold' | | Sh 80-90 Co | 1400 |
| Euonymus for. var. rad. 'Emerald Gaiety' | | Sh 80-90 Co | 1400 |
| Fagus sylvatica | | Utr 80-100 Co | 600 |
| Fagus sylvatica | | Utr 100-125 Co | 700 |
| Fagus sylvatica | | Utr 125-150 Co | 950 |
| Fagus sylvatica | | Utr 150-175 Co | 1450 |
| Fagus sylvatica | | Utr 175-200 Co | 1800 |
| Fagus syl. (Purpurbl.) 'Dawyck Purple' | | Utr 150-175 Co / K | 2400 |
| Fagus sylvatica 'Pendula' | | Utr 125-150 Co / K | 1950 |
| Fagus sylvatica 'Pendula' | | Utr 150-175 Co / K | 2400 |
| Fagus syl. (Purpurbl.) 'Purp. Pendula' | | Utr 125-150 Co / K | 2050 |
| Fagus syl. (Purpurbl.) 'Purp. Pendula' | | Utr 150-175 Co / K | 2550 |
| Fagus syl. (Purpurbl.) 'Purp. Latifolia' | | Utr 125-150 Co / K | 1950 |
| Fagus syl. (Purpurbl.) 'Purp. Latifolia' | | Utr 175-200 Co / K | 3000 |
| Fagus sylvatica (Purpurbl.) 'Riversii' | | Utr 125-150 Co / K | 1950 |
| Fagus sylvatica Purpurbladiga Gruppen | | Utr 80-100 Co | 800 |
| Fagus sylvatica Purpurbladiga Gruppen | | Utr 100-125 Co | 950 |
| Fagus sylvatica Purpurbladiga Gruppen | | Utr 125-150 Co | 1500 |
| Hydrangea paniculata 'Grandiflora' | | Sh 90-110 Co | 2000 |
| Hydrangea paniculata 'Limelight'* | | Sh 90-110 Co | 2000 |
| Hydrangea pan. Vanilla Fraise ('Renhy'*) | | Sh 90-110 Co | 2000 |
| Juglans ailantifolia Fk Björkdal | | Utr 150-200 Co | 5150 |
| Juglans cinerea Fk Örebro E |  | Utr 125-150 Co | 3200 |
| Juglans regia | | Utr 150-200 Co | 2000 |

| | | | |
|---|---|----------------|------|
| Juglans regia | | Utr 200-250 Co | 2600 |
| Juglans regia 'Broadview' | | Utr 175-200 Co | 3150 |
| Juglans regia 'Buccaneer' | | Utr 175-200 Co | 3150 |
| Juglans regia 'Buccaneer' | | Utr 200-250 Co | 4550 |
| Laburnum × watereri 'Vossii' | | Sh 100-120 Co | 2050 |
| Magnolia × soulangeana | | Sh 100-120 Co | 2600 |
| Malus baccata 'Columnaris' | | Sh 90-110 Co | 1450 |
| Malus 'Crittenden' | | Sh 90-110 Co | 1450 |
| Malus 'Evereste' | | Sh 100-120 Co | 1600 |
| Malus floribunda | | Sh 90-110 Co | 1450 |
| Malus Gracil E ('Ep Malgr') |  | Sh 90-110 Co | 1800 |
| Malus Madonna ('Mazam') | | Sh 90-110 Co | 1800 |
| Malus 'Pink Spires' | | Sh 90-110 Co | 1500 |
| Malus (Purpurapel) 'Profusion' | | Sh 90-110 Co | 1450 |
| Malus (Purpurapel) 'Royalty' | | Sh 90-110 Co | 1450 |
| Malus (Purpurapel) 'Royalty' | | Sh 100-120 Co | 1600 |
| Malus (Purpurapel) 'Stenström' E |  | Sh 90-110 Co | 1500 |
| Malus 'Red Jade' | | Sh 100-120 Co | 1600 |
| Malus 'Rescue' | | Sh 90-110 Co | 1500 |
| Malus 'Royal Beauty' | | Sh 100-120 Co | 1600 |
| Malus 'Rubin' | | Sh 90-110 Co | 1500 |
| Malus 'Rudolph' | | Sh 90-110 Co | 1500 |
| Malus 'Rudolph' | | Sh 100-120 Co | 1600 |
| Malus toringo 'Freja'® | | Sh 90-110 Co | 1500 |
| Malus toringo Maskerad® E ('Ep Malma'*) |  | Sh 90-110 Co | 1800 |
| Malus toringo var. sargentii 'Tina' | | Sh 80-100 Co | 1450 |
| Malus toringo var. sargentii 'Tina' | | Sh 100-120 Co | 1600 |
| Malus × zumi 'Calocarpa' | | Sh 90-110 Co | 1500 |
| Malus × zumi 'Professor Sprenger' | | Sh 90-110 Co | 1450 |
| Populus alba 'Nivea' | | Utr 150-200 Co | 1250 |
| Populus alba 'Nivea' | | Utr 200-250 Co | 1600 |
| Populus balsamifera | | Utr 150-200 Co | 1250 |
| Populus balsamifera | | Utr 200-250 Co | 1600 |
| Populus × canadensis 'Robusta' | | Utr 150-200 Co | 1250 |
| Populus × canadensis 'Robusta' | | Utr 200-250 Co | 1600 |
| Populus nigra 'Italica' | | Utr 150-200 Co | 1250 |
| Populus nigra 'Italica' | | Utr 200-250 Co | 1600 |
| Populus simonii 'Fastigiata' | | Utr 150-200 Co | 1250 |
| Populus simonii 'Fastigiata' | | Utr 200-250 Co | 1600 |
| Populus tremula 'Erecta' | | Utr 150-200 Co | 1600 |
| Populus tremula 'Erecta' | | Utr 200-250 Co | 2250 |
| Prunus 'Accolade' | | Utr 150-200 Co | 1800 |
| Prunus 'Accolade' | | Utr 200-250 Co | 2350 |
| Prunus 'Accolade' | | Sh 100-120 Co | 1550 |
| Prunus avium E |  | Utr 150-200 Co | 1450 |
| Prunus avium E |  | Utr 200-250 Co | 1950 |
| Prunus cerasifera 'Nigra' | | Sh 100-120 Co | 1550 |
| Prunus × cistena | | Sh 80-90 Co | 1250 |
| Prunus × cistena | | Sh 100-120 Co | 1550 |
| Prunus × eminens 'Umbraculifera' | | Sh 100-120 Co | 1800 |

| | | | |
|--|---|--------------------|------|
| Prunus incisa 'Kojou-no-mai' | | Sh 80-90 Co | 1300 |
| Prunus laurocerasus Etna ('Anbri'*) | | Sh 80-90 Co | 1600 |
| Prunus laurocerasus Etna ('Anbri'*) | | Sh 100-120 Co | 2050 |
| Prunus laurocerasus Etna ('Anbri'*) | | Sh 140-160 Co | 3200 |
| Prunus laurocerasus 'Mano' | | Sh 100-120 Co | 1750 |
| Prunus laurocerasus 'Otto Luyken' | | Sh 80-90 Co | 1600 |
| Prunus maackii 'Amber Beauty' | | Utr 150-200 Co | 1550 |
| Prunus maackii 'Amber Beauty' | | Utr 200-250 Co | 2300 |
| Prunus nipponica v. kurilen. 'Brilliant' | | Sh 80-90 Co | 1300 |
| Prunus nipponica var. kurilensis 'Ruby' | | Sh 80-90 Co | 1300 |
| Prunus padus 'Colorata' | | Sh 100-120 Co | 2000 |
| Prunus padus Fk Ultuna E |  | Utr 150-200 Co | 1450 |
| Prunus padus Fk Ultuna E |  | Utr 200-250 Co | 1950 |
| Prunus sargentii | | Utr 150-200 Co | 1850 |
| Prunus sargentii | | Utr 200-250 Co | 2550 |
| Prunus (Sato-zakura) 'Ama-no-gawa' | | Utr 125-150 Co | 1450 |
| Prunus (Sato-zakura) 'Kanzan' | | Sh 100-120 Co | 1600 |
| Prunus (Sato-zakura) 'Kanzan' | | Sh 150 Co | 2350 |
| Prunus (Sato-zak.) 'Kiku-shidare-zakura' | | Sh 100-120 Co | 1800 |
| Prunus (Sato-zakura) 'Royal Burgundy' | | Sh 100-120 Co | 1800 |
| Prunus serrula | | Utr 150-200 Co | 1850 |
| Prunus tomentosa 'Orient' | | Sh 80 Co | 1400 |
| Prunus triloba | | Sh 80-100 Co | 1300 |
| Prunus triloba | | Sh 100-120 Co | 1600 |
| Prunus virginiana 'Shubert' | | Utr 200-250 Co | 2200 |
| Pterocarya fraxinifolia | | Utr 150-200 Co | 2150 |
| Pterocarya fraxinifolia | | Utr 200-250 Co | 2750 |
| Pterocarya rhoifolia Fk Mejlan | | Utr 150-200 Co | 2150 |
| Pterocarya rhoifolia Fk Mejlan | | Utr 200-250 Co | 2750 |
| Pyrus salicifolia 'Pendula' | | Utr 150-200 Co | 1800 |
| Pyrus salicifolia 'Pendula' | | Utr 200-250 Co | 2350 |
| Pyrus salicifolia 'Pendula' | | Sh 80-90 Co | 1300 |
| Pyrus salicifolia 'Pendula' | | Sh 100-120 Co | 2250 |
| Pyrus salicifolia 'Pendula' | | Sh 140-160 Co | 3000 |
| Quercus palustris 'Green Dwarf' | | Sh 140-160 Co | 3400 |
| Quercus petraea Fk Agder | | Utr 150-200 Co | 2000 |
| Quercus robur (Fastigiata) 'Koster' | | Utr 150-175 Co / K | 2550 |
| Quercus robur (Fastigiata) 'Koster' | | Utr 175-200 Co / K | 3350 |
| Quercus robur Fk Linköping E |  | Utr 150-200 Co | 2000 |
| Quercus robur Fk Linköping E |  | Utr 200-250 Co | 2800 |
| Quercus robur Fk Ultuna E |  | Utr 150-200 Co | 2000 |
| Quercus rubra E |  | Utr 150-200 Co | 2000 |
| Robinia pseudoacacia | | Utr 200-250 Co | 2550 |
| Robinia pseudoacacia 'Umbraculifera' | | Sh 100-120 Co | 2050 |
| Robinia pseudoacacia 'Umbraculifera' | | Sh 140-160 Co | 2650 |
| Salix arctica 'Yalta'* | | Sh 80-90 Co | 900 |
| Salix a. s. Boden Silver® E ('Ep Salbosi') |  | Utr 150-200 Co | 1350 |
| Salix a. s. Boden Silver® E ('Ep Salbosi') |  | Utr 200-250 Co | 1750 |
| Salix x fragilis 'Vinterglöd' E |  | Utr 150-200 Co | 1350 |
| Salix x fragilis 'Vinterglöd' E |  | Utr 200-250 Co | 1750 |

| | | | |
|---|---|----------------|------|
| Salix caprea 'Kilmarnock' | | Sh 100-120 Co | 850 |
| Salix caprea 'Kilmarnock' | | Sh 140-160 Co | 1400 |
| Salix fragilis 'Bullata' | | Utr 125-150 Co | 1050 |
| Salix fragilis 'Bullata' | | Utr 150-200 Co | 1250 |
| Salix fragilis 'Bullata' | | Utr 200-250 Co | 1750 |
| Salix fragilis 'Bullata' | | Sh 100-120 Co | 1450 |
| Salix helvetica | | Sh 80-100 Co | 800 |
| Salix integra 'Hakuro Nishiki' | | Sh 80-100 Co | 800 |
| Salix integra 'Hakuro Nishiki' | | Sh 100-120 Co | 900 |
| Salix × pendulina 'Elegantissima' | | Utr 150-200 Co | 1250 |
| Salix × pendulina 'Elegantissima' | | Utr 200-250 Co | 1650 |
| Salix purpurea 'Pendula' | | Sh 100-120 Co | 1050 |
| Salix × sepulcralis 'Chrysocoma' | | Utr 150-200 Co | 1250 |
| Salix × sepulcralis 'Chrysocoma' | | Utr 200-250 Co | 1650 |
| Sorbus 'Astrid' E |  | Utr 150-200 Co | 2400 |
| Sorbus Autumn Spire ('Flanrock') | | Sh 100-120 Co | 1800 |
| Sorbus aucuparia Fk Västeråker E |  | Utr 150-200 Co | 1450 |
| Sorbus aucuparia Fk Västeråker E |  | Utr 200-250 Co | 1950 |
| Sorbus (Commixta) 'Birgitta' E |  | Utr 150-200 Co | 1850 |
| Sorbus (Commixta) 'Birgitta' E |  | Utr 200-250 Co | 2350 |
| Sorbus commixta 'Carmencita' E |  | Utr 150-200 Co | 2550 |
| Sorbus commixta 'Carmencita' E |  | Utr 200-250 Co | 3000 |
| Sorbus decora | | Utr 150-200 Co | 2250 |
| Sorbus decora | | Utr 200-250 Co | 2750 |
| Sorbus × thuringiaca 'Fastigiata' E |  | Utr 150-200 Co | 2000 |
| Sorbus incana E |  | Utr 150-200 Co | 2550 |
| Sorbus incana E |  | Utr 200-250 Co | 3050 |
| Sorbus intermedia E |  | Utr 150-200 Co | 1800 |
| Sorbus intermedia E |  | Utr 200-250 Co | 2250 |
| Sorbus 'Rosmari' E |  | Utr 150-200 Co | 1850 |
| Sorbus 'Rosmari' E |  | Utr 200-250 Co | 2350 |
| Sorbus ulleungensis 'Dodong' E |  | Utr 150-200 Co | 2600 |
| Sorbus ulleungensis 'Dodong' E |  | Utr 200-250 Co | 3050 |
| Sorbus ulleungensis LEGEND E ('Erik'*) |  | Utr 150-200 Co | 2750 |
| Sorbus ulleungensis LEGEND E ('Erik'*) |  | Utr 200-250 Co | 3200 |
| Syringa josikaea 'Holger' | | Sh 100-120 Co | 2050 |
| Syringa m. Flowerfesta White Anny200810* | | Sh 80-100 Co | 1850 |
| Syringa meyeri 'Palibin' | | Sh 80-100 Co | 1350 |
| Syringa meyeri 'Palibin' | | Sh 100-120 Co | 1600 |
| Syringa pubescens ssp microph. 'Superba' | | Sh 80-100 Co | 1350 |
| Syringa vulgaris 'And. an Ludwig Späth' | | Sh 90-110 Co | 1850 |
| Syringa vulgaris 'And. an Ludwig Späth' | | Sh 100-120 Co | 2050 |
| Syringa vulgaris 'And. an Ludwig Späth' | | Sh 150 Co | 2750 |
| Syringa vul. Beauty Of Moscow 'Krasavitsa M.' | | Sh 100-120 Co | 2050 |
| Syringa vulgaris 'Charles Joly' | | Sh 100-120 Co | 2050 |
| Syringa vulgaris 'Mme Lemoine' | | Sh 90-110 Co | 1850 |
| Syringa vulgaris 'Mme Lemoine' | | Sh 100-120 Co | 2050 |
| Syringa vulgaris 'Mme Lemoine' | | Sh 150 Co | 2750 |
| Tilia cordata | | Utr 150-200 Co | 1450 |
| Tilia cordata | | Utr 200-250 Co | 1950 |

| | | | |
|--|---|----------------------|-------|
| Tilia cordata 'Greenspire' | | Utr 150-200 Co | 1450 |
| Tilia cordata 'Greenspire' | | Utr 200-250 Co | 1950 |
| Tilia cordata Linn® E ('Elin'*) |  | Utr 150-200 Co | 1800 |
| Tilia cordata Linn® E ('Elin'*) |  | Utr 200-250 Co | 2250 |
| Tilia cordata 'Rancho' | | Utr 150-200 Co | 1650 |
| Tilia cordata 'Rancho' | | Utr 200-250 Co | 2050 |
| Tilia × europaea Kristina® E 'Eleonora'* |   | Utr 150-200 Co | 1800 |
| Tilia × europaea Kristina® E 'Eleonora'* |   | Utr 200-250 Co | 2250 |
| | | | |
| | | | |
| TRÄD ~ HÖGSTAM (priser gäller så långt lagret räcker) | | | |
| Acer Autumn Blaze ('Jeffersred') | | Hst 10-12 Co | 9300 |
| Acer platanoides | | Hst 10-12 Co | 6450 |
| Acer platanoides 'Crimson Sentry' | | Hst 6-8 Co Sh 180 | 4450 |
| Acer platanoides 'Globosum' | | Hst 8-10 Co Sh 220 | 6450 |
| Acer platanoides 'Globosum' | | Hst 10-12 Co Sh 220 | 7550 |
| Acer platanoides 'Royal Red' | | Hst 8-10 Co | 6250 |
| Acer platanoides 'Royal Red' | | Hst 10-12 Co | 7700 |
| Aesculus carnea 'Briotii' | | Hst 8-10 Co | 9100 |
| Amelanchier × grandiflora 'Robin Hill' | | Hst 8-10 Co | 13100 |
| Betula pendula 'Dalecarlica' | | Hst 10-12 Co | 9700 |
| Betula pendula fk Julita E |  | Hst 8-10 Co | 6550 |
| Betula pendula fk Julita E |  | Hst 10-12 Co | 7150 |
| Betula pendula fk Savolaksie | | Hst 8-10 Co | 6550 |
| Betula pendula fk Savolaksie | | Hst 10-12 Co | 7300 |
| Betula pendula 'Tristis' | | Hst 6-8 Co | 7300 |
| Betula pendula 'Youngii' | | Hst 6-8 Co | 7300 |
| Betula pendula 'Youngii' | | Hst 8-10 Co | 8850 |
| Betula utilis var.jacquemontii | | Hst 8-10 Co | 7200 |
| Betula utilis var.jacquemontii | | Hst 10-12 Co | 8250 |
| Gleditsia triacanthos 'Sunburst' | | Hst 8-10 Co | 7600 |
| Juglans regia | | Hst 8-10 Co | 5850 |
| Juglans regia | | Hst 10-12 Co | 9550 |
| Juglans regia 'Broadview' | | Hst 8-10 Co | 9850 |
| Malus baccata 'Columnaris' | | Hst 8-10 Co | 6450 |
| Malus 'Evereste' | | Hst 8-10 Co | 6450 |
| Malus toringo 'Scarlett' | | Hst 6-8 Co | 5700 |
| Malus 'Rudolph' | | Hst 8-10 Co | 6450 |
| Malus 'Rudolph' | | Hst 10-12 Co | 10300 |
| Platanus × hispanica 'Alphen's Globe' | | Hst 8-10 Co | 6950 |
| Prunus 'Accolade' | | Hst 8-10 Co | 7000 |
| Prunus 'Accolade' | | Hst 10-12 Co | 8350 |
| Prunus 'Accolade' | | Hst 3x 12-14 Co | 11750 |
| Prunus avium 'Plena' | | Hst 10-12 Co | 6450 |
| Prunus avium 'Plena' | | Hst 3x 12-14 Co | 9200 |
| Prunus cerasifera 'Nigra' | | Hst 8-10 Co | 6200 |
| Prunus × eminens 'Umbraculifera' | | Hst 8-10 Co Sh 180 | 5000 |
| Prunus × eminens 'Umbraculifera' | | Hst 10-12 Co Sh 220 | 6900 |
| Prunus × eminens 'Umbraculifera' | | Hst 3x 12-14 Co Sh 2 | 9300 |
| Prunus maackii 'Amber Beauty' | | Hst 10-12 Co | 7400 |

| | | | |
|--|---|----------------------|-------|
| Prunus sargentii | | Hst 10-12 Co | 8900 |
| Prunus sargentii | | Hst 3x 12-14 Co | 11750 |
| Prunus sargentii 'Rancho' | | Hst 3x 12-14 Co | 11750 |
| Prunus (Sato-zakura) 'Kanzan' | | Hst 8-10 Co | 5800 |
| Prunus (Sato-zakura) 'Kanzan' | | Hst 10-12 Co | 7400 |
| Prunus serrula | | Hst 8-10 Co | 7700 |
| Prunus serrula | | Hst 10-12 Co | 10350 |
| Prunus virginiana 'Shubert' | | Hst 8-10 Co | 6100 |
| Pyrus salicifolia 'Pendula' | | Hst 6-8 Co Sh 180 | 4800 |
| Pyrus salicifolia 'Pendula' | | Hst 6-8 Co Sh 200 | 5450 |
| Pyrus salicifolia 'Pendula' | | Hst 6-8 Co Sh 220 | 5800 |
| Pyrus salicifolia 'Pendula' | | Hst 8-10 Co Sh 180 | 6150 |
| Pyrus salicifolia 'Pendula' | | Hst 8-10 Co Sh 220 | 6850 |
| Pyrus salicifolia 'Pendula' | | Hst 10-12 Co Sh 220 | 10700 |
| Quercus robur | | Hst 10-12 Co | 6850 |
| Robinia pseudoacacia 'Umbraculifera' | | Hst 8-10 Co Sh 180 | 5350 |
| Robinia pseudoacacia 'Umbraculifera' | | Hst 10-12 Co Sh 180 | 6650 |
| Robinia pseudoacacia 'Umbraculifera' | | Hst 10-12 Co Sh 200 | 6850 |
| Robinia pseudoacacia 'Umbraculifera' | | Hst 3x 12-14 Co Sh 2 | 10150 |
| Salix caprea 'Kilmarnock' | | Hst 6-8 Co | 2800 |
| Salix caprea 'Kilmarnock' | | Hst 8-10 Co | 3250 |
| Salix fragilis 'Bullata' | | Hst 6-8 Co | 4800 |
| Salix fragilis 'Bullata' | | Hst 8-10 Co | 5150 |
| Salix x sepulcralis 'Chrysocoma' | | Hst 10-12 Co | 6300 |
| Sorbus aucuparia Fk Västeråker E |  | Hst 8-10 Co | 5300 |
| Sorbus (Commixta) 'Birgitta' E |  | Hst 8-10 Co | 6100 |
| Sorbus commixta 'Carmencita' E |  | Hst 6-8 Co | 5950 |
| Sorbus commixta 'Carmencita' E |  | Hst 8-10 Co | 7550 |
| Sorbus commixta 'Carmencita' E |  | Hst 10-12 Co | 11350 |
| Sorbus incana E |  | Hst 8-10 Co | 7350 |
| Sorbus intermedia E |  | Hst 8-10 Co | 5800 |
| Sorbus 'Rosmari' E |  | Hst 6-8 Co | 5800 |
| Sorbus 'Sunshine' | | Hst 8-10 Co | 6600 |
| Sorbus ulleungensis 'Dodong' E |  | Hst 8-10 Co | 6300 |
| Sorbus ulleungensis 'Dodong' E |  | Hst 10-12 Co | 7750 |
| Sorbus ulleungensis 'Dodong' E |  | Hst 3x 12-14 Co | 11300 |
| Sorbus ulleungensis LEGEND E ('Erik'*) |  | Hst 8-10 Co | 7000 |
| Sorbus ulleungensis LEGEND E ('Erik'*) |  | Hst 10-12 Co | 9600 |
| Sorbus ulleungensis LEGEND E ('Erik'*) |  | Hst 3x 12-14 Co | 12450 |
| Tilia cordata | | Hst 8-10 Co | 5150 |
| Tilia cordata | | Hst 10-12 Co | 6250 |
| Tilia cordata 'Greenspire' | | Hst 8-10 Co | 5150 |
| Tilia cordata 'Greenspire' | | Hst 10-12 Co | 6250 |
| Tilia cordata 'Greenspire' | | Hst 3x 12-14 Co | 7700 |
| Tilia cordata Linn® E ('Elin'*) |  | Hst 8-10 Co | 5700 |
| Tilia cordata 'Rancho' | | Hst 8-10 Co | 5550 |
| Tilia x europaea 'Pallida' | | Hst 10-12 Co | 6250 |
| Ulmus glabra 'Camperdownii' | | Hst 6-8 Co | 5800 |